

TIME FOR SAVINGS!




DMB51CM24 Series Universal Timer

- Compact housing, snaps directly to DIN rail
81x17.5x67.2mm (H x W x D)
- Timing ranges: 0.1 seconds to 100 hours
Split into seven sub-ranges
- 5Amp SPDT contact output
- Operates on 24VDC and 24-240VAC
- Multi-function (see below)
- Two LEDs for power and relay "ON"
- View datasheet at www.GavazziOnline.com



Some Timing Function Diagrams Include:



DMB51CM24				
Part#	Quantity	5-9	10-24	25+
DMB51CM24	Suggested Resale Price	\$37.50	\$35.00	\$32.50

Prices are subject to change without notice

Available at participating Carlo Gavazzi Distributors

CROSS REFERENCE CHART				
Manufacturer	CARLO GAVAZZI	CROUZET	OMRON	ABB/ENTRELEC
Part Number	DMB51CM24	88826105	H3DS-MLAC24	2 550 029 81
Maximum Range	100h	100h	120h	100h
Size (in mm)	81 x 17.5 x 67.2	81 x 17.5 x 65.5	81 x 17.5 x 68	78 x 22.5 x 78.5
# of Functions	7	7	8	6
Output	SPDT	SPDT	SPDT	SPDT



CARLO GAVAZZI INC. 2660 Meadowdale Blvd. Unit 8, Mississauga, ON L5N 6M6, Phone: 888.575.2275, Fax: 905.542.2248, E-mail: Gavazzi@CarloGavazzi.com Website: www.GavazziOnline.com

valid until March 31, 2012

Visit our website at www.GavazziOnline.com

TIME FOR SAVINGS!







FAA08 Series Multifunction Timer

- Timing ranges 0.05 seconds to 300 hours
- Knob selection of time range
- Knob adjustable time setting
- Knob selection of operating mode (4 functions)
- Automatic start
- 48x48mm housing for front panel or socket mounting
- LED indication for relay status and power supply "ON"
- View datasheet at www.GavazziOnline.com



Some Timing Function Diagrams Include:



FAA08DW24				
Part#	Quantity	5-9*	10-24	25+
Suggested Resale Price		\$24.00	\$22.00	\$20.0

Prices are subject to change without notice

*Minimum order of 5 Multifunction Timers

Socket ZPD8 is required but not included
(See Industrial Relays & Bases flyer.)

CROSS REFERENCE CHART				
Manufacturer	CARLO GAVAZZI	OMRON	IDEC	ALLEN-BRADLEY
Part Number	FAA08	H3CR-A8	GE1A	700-HRM/HRC
Maximum Range	300h	300h	10h	300h
Size (in mm)	48x48mm panel	48x48mm panel	48x48mm panel	48x48mm panel
# of Functions	6	4	1	1
Output	8 A DPDT	5 A DPDT	5 A DPDT	5A DPDT

